

Complete Sewer PumpOut Hose



Product Code: HX

Availability: Possible Delay, Up To 7 Days

Price: \$0.00

Short Description

Complete PumpOut Hose w/ Isolation Valve and Nozzle/Fitting(s).

Description

The Complete Sewer PumpOut Hose comes with everything that goes between a vessel's deck fitting or portable toilet and the inlet of your pump. This Includes:

- Suction Hose Assembly: 1.5" Diameter Flexible Suction Hose with Site Glass (MNPT) and Male Q.C Adapter (H0XXX.015).
- Isolation Valve: 1.5" Diameter Ball Valve - FNPT on both ends (C6008.BNJ or C6008.015).
- Quick Connect Coupler (Optional): Quick Connect Fittings make it easy to switch between suction nozzles and threaded adapters when pumping out different vessels. Threaded nozzles are not as easy to remove and help to prevent theft and tampering.
- Nozzles & Adapters: Universal Nozzles, Threaded Adapters, and Suction Wands are all available

Suction Hose Assembly

Suction Hose Assembly (H0XXX.015): 1.5" Diameter Flexible Suction Hose with

Crush Resistant Lexan® Site Glass (MNPT) and Male Q.C Adapter. Non Marking, Vacuum Rated (30 Hg.) EPDM Suction Hose with Factory Installed Stainless Steel Hose Clamps.

- Standard Lengths Available: 25' (H0025.015), 50' (H0050.015), 75' (H0075.015), 100' (H0100.015).
(If you would like a custom length, please inquire by phone or email)

Isolation (Ball) Valve

Isolation Valve: 1.5" Diameter Ball Valve - FNPT on both ends (C6008.BNJ or C6008.015)

- Heavy Duty (Recommended): Polypropylene with Stainless Steel Hardware (C6008.BNJ)
- Standard Duty: Schedule 80 PVC (C6008.015)

Quick Connect or Threaded

Quick Connect Fittings make it easy to switch between suction nozzles and threaded adapters when pumping out different vessels. Threaded nozzles are not as easy to remove and help to prevent theft and tampering.

- If "Quick Connect" is selected, we will include a Quick Connect Coupler with your order.
- If "Threaded" is selected, nozzles/adapters will thread directly into your ball valve.

Nozzles / Adapters

A variety of Nozzles and Adapters are available for connection to various waste deck fittings. The Suction Wand is available for suction directly from a portable toilet.

- The Threaded Universal Suction Nozzle is suitable for most deck fittings and threads directly into the ball valve.
- The Quick Connect Universal Nozzle is suitable for most deck fittings and mates with the Quick Connect Coupler. This is easily swapped with other Quick Connect Nozzles / Adapters.
- The Quick Connect Fittings Package contains various suction accessories so you can be certain of your ability to offload any vessel.
 - This Package includes a QC Universal Suction Nozzle, Threaded

Adapters for 1.25" & 1.5" Waste Deck Fittings, and a Suction Wand.